




DRAGON SHIELD
Laminated Premium Asphalt Shingles



**"Elevate Your
Roofing Aesthetics"**

ARCHITECTURAL LAMINATED PREMIUM SHINGLES



ONYX BLACK



FOREST GREEN



CHARCOAL GREY



RIVIERA RED




ESTATE GREY




DUAL BROWN



PACIFIC BLUE



DRIFT WOOD




BROWNWOOD



HARBOUR RED



DESERT TAN



BLACK

3 TAB



RIVERA RED



CHARCOAL GREY



DUAL BROWN




FOREST GREEN



ESTATE GREY



PACIFIC BLUE




ONYX BLACK



BROWNWOOD




BLACK VELVET



Dragonshield designer premium roofing shingles offer superior properties to home owners since 1985.


Dragonshield shingles are yours frontline of defence. They protect, perform and look their best at a 35 years of limited warranty period.

Copper Coating for Algae Resistance



CHARACTERISTIC	UNITS	NORMAL VALUE	TEST METHOD	STANDARD LIMITS
EXPOSURE:	mm(in)	149(5 7/8)	-	-
TEAR STRENGTH:	g	PASS	ASTM D 1922	MIN:1700
HEAT RESISTANCE:	-	PASS	-	90°C (192° F)
STABILIZED BITUMEN WEIGHT:	g/m ² (lbs/100ft ²)	PASS	ASTM D228	MIN:2000 (41)
GRANULE RETENTION:	%	PASS	ASTM D4977	MIN:90
FIRE RATING:	-	CLASS A	ASTM E108	MIN: CLASS A
Length/pc:	mm (in)	1000 (39.37)	-	-
Width/pc:	mm (in)	-	-	-
Quantity/Bundle:	pcs	-	-	-
Weight/Bundle:	kgs (lbs)	-	-	-
Coverage/Bundle:	m ²	-	-	-

Shingle Dimensions



Measurement	Normative Value
LENGTH	1000±3mm
WIDTH	335±3mm
WEIGHT	28kg/bundle
THICKNESS	5.6±0.2mm
SQUARE METERS/bundle	2.324 m ² /bundle
WIND RESISTANCE	≥120 Kph
PACKING	16 pcs/bundle, bag with pallet



SCAN TO KNOW MORE ABOUT US



BABIJESH PP
Managing Director

8921 43 63 71
9072 06 07 08



MATERIAL SUPPLY & ALL SERVICES
KOOZHALL, CALICUT

• ROOFING SHINGLES • ROOF TILES • STONE COATED SHEET • RAIN GUTTER